



**Patient Information
Anti-Anxiety Agents**

Medication Name (with Generic)	
Expected Benefits	These medications may be used to treat conditions other than those listed. These medications are for the management of anxiety disorders or short-term relief of the symptoms of anxiety sometimes associated with chemical dependency or organic diseases
Alternative Treatments	You may discuss these options with your physician: a. No treatment b. Psychotherapy c. Conventional Anti-psychotics
Important	It is very important to take your medicine as prescribed and to follow all of your physician's instructions while taking this medicine.

Side Effects *	Any medication may produce unwanted side effects along with the desired results. Some side effects may appear even before the benefit from the medication is seen. If side effects do appear, they usually fade during continued treatment. Examples of side effects which may occur include:		
Frequently	Dizziness Gastric disturbances	Difficulty Sleeping	Nervousness
Occasionally	Fatigue	Nausea	Blurred Vision
Rarely	Rash	Constipation	

*** ANY SIDE EFFECTS SHOULD BE REPORTED AND DISCUSSED WITH THE DOCTOR, NURSE, AND / OR PHARMACIST.**

Interactions with other meds, natural products	Sometimes medicines interfere with each other. You should tell each doctor or dentist you see about all medications you are taking. It is very important to consult with your physician or pharmacist to see if the other medicines you are taking (including those obtained without a prescription) are compatible with this medicine. Taking Haldol with these medications increase the blood levels and possible effects of Haldol.
Cautions	<ul style="list-style-type: none"> You should not stop taking your medicine without first checking with your doctor. Dose should not be increased without checking with your doctors, and if dose is missed, it should be taken as soon as possible without doubling doses. For all women of childbearing age who may be or think they are pregnant, the physician should discuss the safety of this medication before starting, continuing, or discontinuing medication treatment. Women who are breastfeeding should discuss the risk and benefits of all other medications before taking them. Keep out of the reach of children
Food Interaction	Avoid all alcoholic beverages and illicit drugs including marijuana